

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

09782594.052501





Figure 1












Figure 5

Figure 6

Figure 7






Figure 10




Figure 11




Figure 12




Figure 13




Figure 14

Figure 15




Figure 16





Figure 17



Figure 18






FIGURE 19






Figure 20

FOSS250" 46528460





Figure 21





SECTION A-A  
SCALE 2:1

Figure 22

105250-4628760

Figure 23



Solution - create an MD-2 Figure 24A






Figure 24

Figure 25



MD-2 out of spec @ sidewall




09782594.052501


Figure 26

Cancellous bone


2600 ✓




12 x 2mm




6 x 2mm




9 x 3mm



12 x 3mm



6 x 3mm



6 x 4mm

09782594.052501




Figure 27